1	-				
	L Number	Hits		DB	Time stamp
S	1	14			2003/07/01 13:41
			pin) with generat\$5		
S					
"4754419" "4897075" "5014311"   "5054411"   "4507072"   USPAT 2003/07/01 13:37 2003/07/01				DERWENT	
Second   S	7	8	1 ' 1	USPAT	2003/07/01 13:21
2			"4736419"   "4897975"   "5014311"		
1			"5056141"   "5136644").PN.		
10	8	23	5323465.URPN.	USPAT	2003/07/01 13:24
1	9	1	'	USPAT	
12	10	4	("4310720"   "4396914"   "4697072"	USPAT	2003/07/01 13:37
121			"4847614").PN.		
Senerat\$5   Senerat\$6   Senerat\$7   Sene	11	3		USPAT	
Senerat\$5	12	121	portable with random\$3 near number with	USPAT;	2003/07/01 13:46
18	İ		generat\$5	US-PGPUB;	
18				EPO; JPO;	
24				DERWENT	
16	18	19	12.ti.	USPAT;	2003/07/01 13:42
16				US-PGPUB;	
16				EPO; JPO;	
Senerat\$5 same (password or pin)				DERWENT	
generat\$5) same (password or pin)	24	16		USPAT;	2003/07/01 13:49
Second Color   Seco			generat\$5) same (password or pin)		
2			_	EPO; JPO;	
24					1
24		2		USPAT	2003/07/01 13:48
Same option\$6 near2 random\$4   US-PGFUB;   EPO; JPO; JPO; JPO; DERNEMT   Same option\$6 near2 random\$4   US-PGFUB;   EPO; JPO; DERNEMT   US-PGFUB;   EPO; JPO; JPO; DERNEMT   US-PGFUB;   EPO; JPO; DERNEMT   US-PGFUB;   EPO	31	24		USPAT;	2003/07/01 13:52
DERWENT   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT   USPAT;   USP			same option\$6 near2 random\$4	US-PGPUB;	
19				EPO; JPO;	
				DERWENT	
option\$6 near2 random\$4  49	37	0		USPAT;	2003/07/01 13:53
199				US-PGPUB;	
199   (choos\$4 or select\$4) near (password or pin)   USPAT; US-PGPUB; EPO; JPO; DERWENT   USPAT; USPAT   USPAT; USPAT   USPAT; USPAT   USPAT; USPAT			option\$6 near2 random\$4		
Same random\$4				DERWENT	
27   (user or operator) near (choos\$4 or select\$4) near (password or pin) same random\$4   USPAT; US-PGPUB; EPO; JPO; DERWENT US-PAT; US-PGPUB; EPO; JPO; DERWENT US-PAT US-PA	49	199			2003/07/01 13:54
27   (user or operator) near (choos\$4 or select\$4) near (password or pin) same random\$4   USPAT; U			same random\$4	I	
120					
Select\$4) near (password or pin) same random\$4	_			DERWENT	
random\$4	43	27	(p, (	1 .	2003/07/01 14:00
DERWENT   USPAT; USPA					
Section			random\$4		
Solution   Continue					
S	55	391	(password or pin) near random\$4	,	2003/07/01 14:02
DERWENT   USPAT;				1	
5 ((password or pin) near random\$4) same portable					
Portable   US-PGPUB; EPO; JPO; DERWENT   USPAT; USPAT   USPAT   USPAT   USPAT   USPAT   USPAT   USPAT; USPAT   USPAT; US-PGPUB; EPO; JPO; DERWENT   USPAT	61	_	//		
Table   Tabl	0.1	] 3		•	2003/07/01 14:01
DERWENT   USPAT;   US-PGPUB;   EPO; JPO; DERWENT   USPAT;   US-PGPUB;   EPO; JPO; DERWENT   USPAT;   US-PGPUB;   EPO; JPO; DERWENT   USPAT;   USPAT   USPAT   USPAT;   USPAT   USPAT;			borranie		
1220					
73 37 ((password or pin) near storage) same portable	67	1220	(naggword or nin) noon storess		2002/07/02 21 25
73 37 ((password or pin) near storage) same portable	0 /	1220	(password of pin) hear storage		2003/07/01 14:02
73 37 ((password or pin) near storage) same portable					
73 37 ((password or pin) near storage) same portable					
Dortable   US-PGPUB;   EPO; JPO;   DERWENT   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT   USPAT   U	<sub>73</sub>	277	((nageword or nim) norm share		2002/07/07 5: 5:
9 (((password or pin) near storage) same portable) and random\$5	'	3/			2003/07/01 14:03
9 (((password or pin) near storage) same portable) and random\$5			Policable		
9 (((password or pin) near storage) same portable) and random\$5					
portable   and random\$5	79	a	(((nageword or nin) near stermed) some		2002/07/03 33 05
EPO; JPO; DERWENT USPAT 2003/07/01 14:04 "5590038"   "5623637"   "5629981"   "5701343"   "5825871"   "5884271").PN.  86 8 (("4882473"   "5285055"   "5533125"   USPAT; "5590038"   "5623637"   "5629981"   USPAT; "5701343"   "5825871"   "5629981"   USPAT; "5701343"   "5825871"   "5884271").PN.) and EPO; JPO; random\$5	'	9			2003/07/01 14:05
85 - 9 ("4882473"   "5285055"   "5533125"   USPAT 2003/07/01 14:04 "5590038"   "5623637"   "5629981"   USPAT 2003/07/01 14:04 "5701343"   "5825871"   "5884271").PN.  86 8 (("4882473"   "5285055"   "5533125"   USPAT; US-PGPUB; "5590038"   "5623637"   "5629981"   US-PGPUB; "5701343"   "5825871"   "5884271").PN.) and EPO; JPO; random\$5			Porcante, and randomás	1	
85 - 9 ("4882473"   "5285055"   "5533125"   USPAT   2003/07/01 14:04   "5590038"   "5623637"   "5629981"   USPAT   2003/07/01 14:04   3590038"   "5825871"   "5884271").PN.   USPAT; USPAT; USPAT; US-PGPUB; "5701343"   "5825871"   "5629981"   US-PGPUB; EPO; JPO; random\$5   DERWENT   USPAT   2003/07/01 14:06   2003/07/01 14:06   2003/07/01 15:11   2003/07/01 15:11	i				
## 15590038"   "5623637"   "562981"    ## 15701343"   "5825871"   "5884271").PN.  ## 1590038"   "5285055"   "5533125"   USPAT; US-PGPUB; US-PGPUB; "5701343"   "5825871"   "5884271").PN.) and EPO; JPO; random\$5  ## 152	85 -	۵	("4882473"   "5205055"   "5522125"		2002/07/01 11 01
86 8 ("4882473"   "5825871"   "5884271").PN. 86 8 (("4882473"   "5285055"   "5533125"   USPAT;			,	OSPAI	2003/0//01 14:04
8 (("4882473"   "5285055"   "5533125"   USPAT; US-PGPUB; "5590038"   "5623637"   "5629981"   US-PGPUB; "5701343"   "5825871"   "5884271").PN.) and EPO; JPO; random\$5  92 2 6044470.URPN. USPAT USPAT 2003/07/01 14:06 152    User or operator) near random\$5 near (pin USPAT 2003/07/01 15:11					
"5590038"   "5623637"   "5629981"   US-PGPUB; EPO; JPO; random\$5  2 6044470.URPN.  3 (user or operator) near random\$5 near (pin USPAT 2003/07/01 15:11	86	۵		HEDAT.	2003/07/01 14 05
"5701343"   "5825871"   "5884271").PN.) and EPO; JPO; random\$5  92 2 6044470.URPN. 152 3 (user or operator) near random\$5 near (pin USPAT 2003/07/01 15:11	"			1	2003/07/01 14:05
random\$5  92 2 6044470.URPN. 152 3 (user or operator) near random\$5 near (pin USPAT 2003/07/01 15:11	' l		!		
92 2 6044470.URPN. USPAT 2003/07/01 14:06 152 3 (user or operator) near random\$5 near (pin USPAT 2003/07/01 15:11					
152 3 (user or operator) near random\$5 near (pin USPAT 2003/07/01 15:11	92	2			2003/07/01 14:00
	l I				
i lor dasswordi			or password)	USFAI	2003/07/01 15:11

Web Confidential Page 1 of 3

x web-co	nfidential		

Macintosh password organizer for the Internet with strong cryptography (448-bit encryption).



Web Confidential

1.2

"Web Confidential is easy to use, secure, and well-integrated"- Adam C. Engst, TidBITS



For a review of Web Confidential by Adam C. Engst, read <u>TidBITS 441</u>

For another review by Daniel Chvatik, see About This Particular Macintosh

### Introducing Web Confidential...

Where do you keep your confidential data?

Like most people these days, you've probably got a growing number of user IDs, passwords, registration keys, PINs, serial numbers, and the like, stored in various places on your Mac or scribbled on miscellaneous pieces of paper around your home or office. When you stop and think about it, you probably have more of these pesky bits of information scattered about than you realize.

The proliferation of the Internet is exacerbating this situation. Increasing numbers of commercially-oriented sites, such as the NY Times, require some form of registration even simply to view content. Other transaction-oriented sites, such as Amazon.com, or personalized newsites, such as My Yahoo, require passwords for personal services.

Now there is a software program to manage passwords and the like: it is called Web Confidential. It uses an intuitive, easy-to-use cardfile metaphor which will enable even novice users to get up to speed in no time. Power users will find a large number of options to enable them to configure Web Confidential to meet their specific needs.

If you are an enthusiastic Web surfer, you will be especially impressed at the tight integration Web Confidential offers with your favorite Internet applications, such as Netscape Navigator, Explorer, Eudora and Emailer. Web Confidential takes full advantage of the Mac operating system's outstanding facilities, such as Interprogram Communication and Shared Menus, to make Web Confidential work seamlessly with these programs.

For creating pages containing personal account information at commercial sites, Web Confidential offers you the one-click convenience of its Password Shared Menu, saving you from the bothersome chore of having to retype your user ID and password each time you log in.

Last but not least, Web Confidential permits you to encrypt your password files, protecting this sensitive information from prying eyes, using a state-of-the-art encryption algorithm. Your key can be up to 448 bits in length.

#### Download

Web Confidential is shareware.

Please download Web Confidential:

in the USA:

- Web Confidential Installer (.hqx) (577K)
- Web Confidential Installer (.bin) (425K)

in Europe:

• Web Confidential Installer (.hqx) (577K)

A User's Guide is included with the download. You might want to read it <u>online</u> in your Web Browser if you have the PDF Viewer plug-in installed.

Please send any comments to Alco Blom.

Additional information:

- Release Notes 1.2
- Release Notes 1.1

Web Confidential is available in:

日本語 - Deutsch - Français - Svenska

Foreign language version numbers						
JР	DE	FR	SE			
1.2	1.2	1.2	1.2			

User's Guide | Release Notes | Support | Mailing List | How To Order | Order Online

[ By the same author ]



(click the picture)



Read Guy Kawasaki's latest book!




Do you believe in Macintosh? Join the "EvangeList" listserver of Guy Kawasaki! Send email to: MacWay or go to the: Evangelist Web Site

## **Release Notes 1.2**

### **More Preferences**

Several new preferences have been added (see below).

- When deleting information you are now presented a confirmation alert.
- You can configure the categories so that they will be automatically sorted.
- You can set an option to always show the associated notes.
- You can automatically save documents when you close windows.
- You can save documents every 'x' minutes.




When you enable the option "Never Show Glasses Icon", passwords can not be shown even when the password file is open. This option is in the 'At Startup'
Preferences Panel.

### **CMM Plug-in**

Web Confidential is now accompanied by a Contextual Menu Manager (CMM) Plug-in. Its purpose is to make entering data into Web Confidential cards much easier. For example. Select a piece of text in your e-mail message or text editor and then Control-Click. With the hierarchical command shown below, you can transfer the data to one of the five available fields of a Web Confidential card. The command adds data to the current open card. If there is no open card, a new card is created in the current category.

To install this CMM Plug-in, drag and drop it to the System Folder (Mac OS 8 or higher is required).

Note: because many applications still do not support the Contextual Menu Manager of Mac OS 8, it is important that you install Apple Data Detectors. This will make sure you can Control-Click on selected text in any application: Go ahead and download <u>Apple Data Detectors</u>.



[Release Notes 1.1]

Release Notes Page 2 of 2

[Web Confidential Home Page]

Release Notes Page 1 of 1

# **Release Notes 1.1**

Support for Navigation Services of Mac OS 8.5.

Support for Theme Fonts of Mac OS 8.5.

Automatically close your documents after a specified interval of user inactivity.

2	minutes of inactivity.
	2

Note: this option is located in the "Security" tab of the Preferences window.

Copy Card and Paste Card commando to easily copy card data between categories.

Export To Text commando to export your data to Tab Delimited format.

An icon is shown in the Card Window when there is an associated note.

You may use Drag And Drop to add text to the card fields.

An option to use Internet Config's setting for the screen font.

Added a change to accomodate Communicator 4.5.

Fixed a crash with Mac OS 8.0.

[Release Notes 1.0]

[Web Confidential Home Page]